

Validation of vulnerability assessment by means of the Time Dependent, Model: case study from the Slovenian karst catchment

Vladimir Živanović, Nataša Ravbar, Igor Jemcov



Дигитални репозиторијум Рударско-геолошког факултета Универзитета у Београду

[ДР РГФ]

Validation of vulnerability assessment by means of the Time Dependent, Model: case study from the Slovenian karst catchment | Vladimir Živanović, Nataša Ravbar, Igor Jemcov | Proceedings of IAH2019, the 46th Annual Congress of the International Association of Hydrogeologists, Málaga (Spain), September 22-27, 2019 | 2019 | |

<http://dr.rgf.bg.ac.rs/s/repo/item/0006069>

Дигитални репозиторијум Рударско-геолошког факултета Универзитета у Београду омогућава приступ издањима Факултета и радовима запослених доступним у слободном приступу. - Претрага репозиторијума доступна је на www.dr.rgf.bg.ac.rs

The Digital repository of The University of Belgrade Faculty of Mining and Geology archives faculty publications available in open access, as well as the employees' publications. - The Repository is available at: www.dr.rgf.bg.ac.rs



CEHYUMA
CENTER OF HYDROGEOLOGY
OF UNIVERSITY OF MALAGA



UNIVERSITY
OF MÁLAGA


Groundwater Management and Governance

Coping with Uncertainty

Proceedings of IAH2019, the 46th Annual Congress of the International Association of Hydrogeologists, Málaga (Spain), September 22-27, 2019

Spanish Chapter of the International Association of Hydrogeologists (AIH-GE)

J. Jaime Gómez Hernández & Bartolomé Andreo Navarro



Groundwater management and governance.

Coping with uncertainty

Proceedings of IAH2019, the 46th Annual Congress of the International Association of Hydrogeologists, Málaga (Spain), September 22-27, 2019

Author:

*Spanish Chapter of the International Association of Hydrogeologists
(AIH-GE)*

Asociación Internacional de Hidrogeólogos – Grupo Español

Editors:

J. Jaime Gómez Hernández
Bartolomé Andreo Navarro

Editorial Assistant:

José Manuel Nieto López

TABLE OF CONTENTS

TOPIC 1. Groundwater assessment and management	37
(Un)Sustainability of the current water strategy in Central Serbia	38
A cross European project to understand the vulnerability of shallow groundwater resources to deep subsurface energy activities (VoGERA).....	39
A practical approach used to plan and execute, quantify and qualify an effective well clean-up strategy	40
A study on the performance of a groundwater heat pump with doublet system.....	41
Acid mine drainage potential identification in reservoir of natural asphalt, Buton, South East of Sulawesi, Indonesia	42
Advances in Groundwater Monitoring	43
Agro-economic model for non-perennial canal system under partial and complete lining scenarios: case for greater Thal canal, Punjab Pakistan.....	44
Alluvial aquifers recharge and sand dam enhancements in the Tigray highlands (Ethiopia).....	45
An intelligent framework for groundwater overexploitation management (based on hydrogeological modeling)	46
Applicability of managed aquifer recharge (MAR) in a well in an alluvial plain in a semi-arid region: An application on the Upper Litani Basin in Lebanon	47
Application of airborne electromagnetics to characterize structure and stratigraphy in the Indian wells valley groundwater basin, California	48
Assessing groundwater recharge and evapotranspiration in a Nordichumid region dominated by snowmelt.....	49
Assessing recharge dynamics by the use of remote sensing and stable isotopes in the arid region of the Nubian Sandstone Aquifer System of Northern Chad.....	50
Assessing the groundwater dynamics, recharge and storage potential in the Limpopo river sand deposits	51
Assessing the groundwater potential of upper and middle aquifers in the Senegalese groundnut basin region – contribution of a numerical model.....	52
Assessment of groundwater resources in Beijing based on numerical simulation technology.....	53
Assessment groundwater (springs) in Baumberge and Schöppinger Berg for hydrogeology and ecology purposes.....	54
Assessment of groundwater contamination vulnerability in a predominant fractured rock-aquifer area	55
Assessment of groundwater natural recharge in difficult environments: A case study at the Lake Chad Basin	56
Assessments of surface water-groundwater interactions in the arid zone – case study in the Yanqi basin, northwestern China.....	57
Bauru Aquifer System, State of São Paulo, Brazil: Conditioning factors of water level variations	58
Coastal floodings and its connection with Motril-Salobreña aquifer (Southern Spain)	59
Combination of hydrogeological and geophysical techniques to characterize the origin of salinity in a porous multilayer aquifer(Estepona, southern Spain).....	60
Comparative analysis of impacts of groundwater droughts in a European context	61

Contribution of Hydrochemistry and environmental isotopes to the study of seawater intrusion in the coastal aquifer of the Eastern Mitidja Plain (Algeria)	62
Determination of groundwater level indicators and thresholds levels for groundwater drought management	63
Dealing with seawater intrusion in the Chtouka Aquifer, Morocco	64
Delineation of wellhead protection zones for the control of point pollution sources in the Lusaka Aquifer System, Zambia	65
Developing a hydrostratigraphic classification system for South Africa	66
Development and application of approaches for geosphere modelling in support of adaptive phased management: an overview	67
Development of an integrated groundwater information system and its application to the Geum river basin, Korea	68
Dynamic integration of groundwater and surface water models in an innovative water resources simulator	69
Dynamic storage and volumetric filling levels indicating regional groundwater availability.....	70
Economical development and Tubarão Aquifer System relationship: an example in the State of São Paulo, Brazil	71
Empirical model as tool for a correct management of groundwater: an experience on a carbonate aquifer in Tuscany (Italy)	72
Enhanced insight from improved groundwater information – Australia's experiences	73
Enhancement on the hydrogeological data management and analysis.....	74
Estimating of surface and groundwater availability and demand from Lower Chambo River Basin (Ecuador), as a tool for watermanagement	75
Evaluation and Optimal Management of Groundwater Resources (Bakhtegan-Maharloo basin).....	76
Evaluation of sustainable groundwater of the Mexico Basin aquifer after a century of intense pumping	77
Evaluation of the storage characteristics and circulation model of the low and middle-temperature geothermal reservoir in Guangzhong Basin by using the data of hydrogen-oxygen stable isotopes ...	78
Evaluation of water provisioning services in the upper Guayllabamba River Basin applying the InVEST water yield model	79
Evolution characteristics and driving mechanism of the land subsidence for typical regions of the North China Plain.....	80
Exploration of deep groundwater systems in mega-fans Example from Northern Namibia.....	81
Extending the knowledge about the Tikuna Aquifer Western Amazon.....	82
Fusing geological information with hydraulic tomography: Lessons from unconsolidated deposits .	83
Geophysical evaluation of groundwater resources vulnerability: case study of part of Akure, South Western Nigeria	84
Groundwater chemical and isotopic characterization of an aquifer in Brazilian Ceará State	85
Groundwater in Alicante Province (Spain)	86
Groundwater management: an example of a project related to rehabilitation of the southern coastal aquifer as part of the national water system in Israel	87
Geology and hydrogeochemistry as groundwater assessment and management tools in Douala sedimentary basin/Cameroon	88
Geometry and hydrogeological functioning of Ouled Bousbaa aquifer systems: Central Morocco	89
Groundwater management: a perspective from Alberta, Canada.....	90
Groundwater modeling in integrated water resources use in the little Akaki Watershed, Ethiopia	91

Groundwater project and ebooks: an evolving platform for groundwater education and practice	92
Groundwater assessment in sand rivers in adaptation to climate variability and water scarcity: opportunities and challenges in semi-arid Africa	93
Groundwater connectivity of a sheared gneiss aquifer system in the Cauvery river basin (peninsular India): Implications for water resources	94
Groundwater flow modelling: A decision-making tool for water resource management in coastal areas Case study of the Oussouye plateau (South Senegal).....	95
Groundwater recharge sources in the Gandak alluvial aquifer, NE India: how important is leakage from irrigation canals?.....	96
Groundwater resources of the Pyrenees in the global change context - The PIRAGUA Project	97
Groundwater vulnerability assessment in Yenagoa Niger Delta Area of Nigeria using GIS based on DRASTIC method.....	98
Groundwater vulnerability method of APLIE and its application in the early warning method in a fracture-karst water source, North China	99
Hydrogeological features of the Western Po Plain (Piedmont, Italy)	100
Hard-rock groundwater potential assessment in the Aji-Chay basin, West of Iran's drying Lake Urmia	101
Hydrochemical characterization of a nitrates polluted aquifer to test a treatment with biological-base to produce drinking water(LIFE ECOGRANULARWATERproject).....	102
Hydroelectric use of the water supply system to the city of Oviedo (NW Spain).....	104
Hydrogeochemical and Environmental isotope characteristics of deep and shallow circulating groundwaters along a regional fault, Eastern Cape, South Africa	105
Hydrogeological modelling for the watershed management of the Mar Menor coastal lagoon (Spain)	106
Hydrogeology of the sands, sandstones and gravels of the Litoral Alentejo (Portugal).....	107
Hydrogeotoxicity assessment in aquifer systems of Malaga province (S Spain): a preliminary approach to evaluate the potential risk of groundwater consumption for human health	108
iFLUX as a valuable tool in aquifer storage & recovery.....	109
Identifying the sources of groundwater nitrate contamination at the origin of South to North water diversion project.....	110
Impact of reduced nile water discharge on flow and contaminant (¹³⁷ Cs) transport in Ismailia canal and surrounding groundwater	111
Improving freshwater security in the Caribbean using managed aquifer recharge	112
Interaction and connectivity of stream water with groundwater in Wangjeon-ri WCC (water curtain cultivation) area, Nonsan, Korea	113
Inverse modelling of hydrogeochemical processes analysed along a flowpath within the Doñana National Park (Southern Spain)	114
Investigating the productivity of weathered basement aquifers with a synthetic dataset	115
Investigation of industrial waste heat storage in porous media	116
Making the unseen groundwater levels a drought indicator.....	117
Managed recharge to restore aquifers: past, present and future.....	118
Managing groundwater resources: case studies from British Columbia, Canada	119
Methods to evaluate aquifer recharge in Spain for water planning	120
Modeling continuous and extreme hydrological events in the Oued Laou catchment using ATHYS hydrological platform	121
Multiscale impact of widespread managed aquifer recharge (MAR) implementation in the state of	

Gujarat, India	122
Numerical modeling as a tool for the groundwater management	123
Natural radioactivity of groundwater, the new challenge in drinking water quality: how can flow system approach help?	124
New evidence of recent recharge of the Continental Intercalaire transboundary aquifer, north-west of Algerian Sahara, using hydrochemical and isotopic techniques	125
Overview of the hydrogeological investigations of recently discovered world class deposits in Serbia	126
Permeability of the crystalline basement in Uganda evidence from approximately 600 pumping tests and implications for solar pumping.....	127
Planning of groundwater resources protection in Shuangyashan City	128
Pollution vulnerability assessment of coastal plain sand aquifer based on standard and modified DRASTIC approaches, southeastern Nigeria	129
Protecting a freshwater lens against sea level rise: a field experiment.....	130
Re-utilizing possibilities of abandoned hydrocarbon wells in Northern Hungary	131
Reassessing groundwater resources in the southern Iullemmeden Basin: Combining archival data and current monitoring	132
Recharge processes and groundwater age along the hyperarid western edge of the Andes (Atacama Desert): fossil groundwater recirculation	133
Risk assessment of not achieving good chemical status of groundwater bodies in Slovakia	134
Risk assessment of water erosion by RUSLE Lahmer watershed in the Setat plateau in Morocco ...	135
Sustainable groundwater management in the Condado Area Quito, Ecuador	136
Sand river aquifers as a nature-based solution of water storage for food production: the example of the Shashane River in Southwest Zimbabwe	137
Seasonal catchment water balance using storage-discharge relationships.....	138
Some unsolved aspects on groundwater to be considered in the revision of the European Water Framework Directive.....	139
Squaring the cycle of groundwater processes in nutrient budgets: a socio-hydrogeological application in the Lombardy Plain (Italy)	140
Stochastic knowledge integration for groundwater exploration in data scarce areas	141
Study of the clogging process in a semi-arid region (Wadi El Himmer, Morocco).....	142
Study of the quality of irrigation water in the plain of Sidi-BelAbbes	143
Study on the groundwater quality management in unconfined aquifers of rural areas, South Korea	144
Surface water and groundwater interaction in crystalline aquifer: an example from Itu (São Paulo, Brazil)	145
The problem of nitrates in groundwater bodies in the Jucar River Basin district.....	146
The protection of springs used for human water supplies. A case study based on multi-criteria evaluation	147
Taking a deeper look revisiting our understanding of deep (>200 m) groundwater systems	148
The Good, the Bad and the Bottled: considerations of the effects of our habits on the water and environment protection	149
The Groundwater Drought Initiative (GDI): Analysis of European groundwater drought	150
The environmental impact assessment of intensive groundwater abstraction on the groundwater flow and salinity of the Nadhour Saouaf Sisseb El Alem Aquifer System (Central Tunisia).....	151

The impact of land use cover change (1988-2018) on aquifer recharge capacity across Bogota river basin, Colombia.....	152
Toward a sustainable use of the coastal sedimentary aquifer supplying the main city of Benin (West Africa): a joint use of MRS and TEM methods to estimate groundwater storage and aquifer properties.....	153
Transboundary Aquifers: Groundwater Management and Governance in a Water Scarce World....	154
Transboundary Aquifers: moving beyond boundaries to management alternatives.....	155
Understanding the potential of Nature Based Solutions to recover the natural ecosystem services of the Medina del Campo Groundwater Body in the NAIAD EU project.....	156
Vulnerability assessment and actual groundwater quality data a case of study in Mozambique.....	157
Vulnerability assessment of seawater intrusion potential using GALDIT index model-Case of Cox's Bazar aquifer, Bangladesh	158
What hydrogeology can learn from data science in terms of reproducible research	159
TOPIC 2. Groundwater and Climate Change	160
A GIS-based water budget procedure used to evaluate groundwater resources under climate change scenarios	161
A regional-scale assessment of soil moisture changes in Golmud River Basin, China	162
Alpine spring water and global change: evidence from temperature, chemistry and Oxygen-18 measurements.....	163
Adapting to water scarcity and climate change in Mediterranean regions: Contribution of the 3D-FEFLOW salinity transport model in the island of Jerba, Southeast Tunisia	164
Advancing Groundwater Sustainability within the Water-EnergyFood-Climate Nexus: Transferring Knowledge between Developed and Developing Countries	165
Analyses and tools to assess the landscape potential for enhanced groundwater recharge and land restoration in Darfur, Sudan	166
Application of the climatic water balance method for recharge evaluation and extreme climate indices analysis in the northern region of Rio de Janeiro state BR at the present climate	167
Assessing the water balance in the high mountain mediterranean karst aquifer of Ordesa and Monte Perdido (Central Pyrenees)	168
Climate change effects on groundwater: expectations and observations	169
Climate change and groundwater in low islands, a surprising resilience	170
Climate change and Australian groundwater	171
Climate change impact on groundwater recharge in Slovenia in the period 2011-2100	172
Climate effects on intra-annual groundwater level fluctuations in Fennoscandia	173
Coupled climatological and hydrogeological models used for predictive managements in the Hungarian parts of the Pannonian basin, special focus on groundwater dependent ecosystems, and various developments of irrigation.....	174
Deep aquifers in Spain: a necessary research to adapt to climate change.....	175
Drivers of changes in Austrian groundwater levels – climate vs. water use.....	176
Estimating future stream connectivity using a water balance approach based on climate projections until 2100.....	177
Evidence for changes in groundwater drought in temperate environments associated with climate change	178
Examination of the hydrologic cycle with long-term precipitation and groundwater level data.....	179
Fresh groundwater resources for the future generations of Yemen.....	180

Geomorphological characteristics of the flash flood affected area during Cempaka tropical cyclone in Gunungsewu karst area, Indonesia.....	181
Groundwater recharge as key parameter towards sustainability of water resources management in Limpopo National Park and Kruger Park.....	182
Global assessment of the impacts of climate variability on total water storage: implications for groundwater resources management	183
Groundwater resources in Chile: the required revision of conceptual models to cope with anthropogenic and climate pressure changes	184
Groundwater response to meteo-climate variation: example from the foothill aquifer system of the Piedmont Alpine zone (NW Italy)	185
Groundwater runoff in small river basin: retrospective analysis and projections due to climate change	186
Groundwater storage assessment and flow path identification in a large-scale fractured bedrock aquifer system.....	187
Groundwater storage in high Alpine catchments and sensitivity to climate change	188
Human impact on groundwater resources in a context of hot semiarid climate and intensive exploitation – Case of the Haouz aquifer (Morocco).....	189
Hydro-climate characteristics of the aquifer system of Wintimdouine cave (Western High Atlas, Morocco): Results of a 4-year monitoring	190
Impact of climate change on groundwater recharge and base flow in the Muda River Basin, Malaysia	191
Influence of snow melting recharge and river management at Mediterranean river basins: Alto Tajo case of study	192
Isotopic evidence of the deep Maastrichtien aquifer in the Senegal	193
Impact of climate changes on groundwater resources: Study case of N'fis watershed in Marrakech Area, Morocco.....	194
Impact of rainfall structure and climate change on soil and groundwater salinization.....	195
Impact of sea level rise and Sustainable groundwater management in in Kalpitiya Peninsula, Sri Lanka	196
Impacts of Climate Change on Groundwater – results from the BINGO project.....	197
Numerical and analytical assessment of stormwater infiltration via wells and infiltration trenches .	198
Potential effects of climate change and future abstraction rate in a groundwater system located in coastal Kenya	199
Present and future potential groundwater recharge from precipitations over France	200
Regional climatic features controlling groundwater recharge in Southeastern Brazil revealed by stable isotopes	201
Response of spring discharge to climate changes in hard rock aquifers of different lithologies.....	202
Spatial and Temporal Mapping of Surface and Groundwater Stable Isotopes Enable Insights into Hydrologic Processes at the Catchment Scale.....	203
Sustainable development of groundwater resources under salinity and climate change impacts in Great Maputo, Mozambique.....	204
Teleconnections between NAO, EA, and SCAND and groundwater levels in Portugal	205
The resilience of the Alsatian aquifer, France to climate and anthropogenic change	206
What does it take to get recharge in a semi-arid climate?	207
Why Managed Aquifer Recharge is a successful tool to Climate Change adverse effects adaptation? Examples and indicators	208

TOPIC 3. Groundwater sustainability and governance	209
A method to drive performance in groundwater resources management and protection	210
A practical guide to conserving groundwater underground.....	211
AgriMAR Bangladesh – Managed Aquifer Recharge to provide irrigation water for saline agriculture in the Bagerhat District.....	212
Analysis of groundwater drought propagation in temperate climates using a water balance model and groundwater model	213
Assessment of climate change impacts on Thonon-Les-Bains groundwater resources: a requirement for water resources governance and long-term investment planning	214
Chalk Aquifer Management (CHARM): Groundwater modelling of a complex aquifer for the sustainable management of strategic drinking water reserves in Flanders (Belgium)	215
Challenges for the assessment and management of transboundary aquifers at the global scale	216
Conflicts and resolutions of shared waters in the Americas	217
Developing a model for a transboundary aquifer in the water scarce region of Central Asia	218
Development of integrated water resources management model in the transboundary Cijevna River Basin (Montenegro – Albania)	219
Drivers of rainfall isotope composition in the northern Chilean Central Andes	220
Educational dissemination of geoscientific knowledge for geoconservation of the Brazilian groundwater: the Guarani Aquifer System case	221
Estimation of Ecosystem Services improvement in the implementation of deep managed aquifer recharge in Llobregat delta (Spain)	222
Evaluation of water information systems applied to groundwater governance	223
Groundwater information management at Canal de Isabel II	224
Groundwater public supply based on an ancestral system of galleries.....	225
Geothermal fluid characteristics and evolution process in Western Sichuan	226
Groundwater management and governance: science is necessary but insufficient.....	227
Groundwater pollution in North China Plain and division of the pollution prevention and control in typical areas: a brief introduction	228
Groundwater for water scarcity regions how to delineate the most necessitous areas? Case study for Slovakia	229
Groundwater management with environmental flows: Hydroeconomic models, methods and results	230
Group Water Schemes: Where society's needs and expectations meet	231
Health risk assessment of groundwater nitrogen pollution and its uncertainty analysis in Songnen Plain	232
How efficient energy production can be fostered in transboundary aquifers	233
Hydrological characterization of Maullín River basin	235
Is current groundwater development in Ergene River Basin (Northwestern Turkey) sustainable? ...	236
Isotopic tracing and numerical modelling of saline groundwater discharge into the Matola Wetlands, Mozambique.....	237
Key policy changes required to reduce environmental degradation in the United States and beyond	238
Large-scale Managed Aquifer Recharge in support of California's agriculture: The Salinas and Kings River	239
Launch of the new Groundwater working group for implementation of the United Nations	

Framework Classification (UNFC).....	240
Management of groundwater-energy-food nexus for sustainability	242
Optimization of water resources in the rural environment: modelling tools for evaluating conjunctive use of groundand surfacewater and for crop yield estimate	243
Outreach and public education strategies to achieve science based groundwater management policy	244
Pumping response and sustainable well yield of some hard-rock aquifers.....	245
Reducing groundwater overexploitation and energy consumption within irrigation districts by automating canal operation: a case study in Iran	246
Spanish Careos and Peruvian Amunas. Comparative analyses for pioneer managed aquifer recharge systems.....	247
Spatial controls on groundwater quality in Sierra Leone: moving towards a national data management framework?.....	248
Spring development for a small village water supply: The story of Ginda B village, Nigeria	249
Sustainable water resources management: understanding humanwater system	250
The artificial recharge of an urban drinking water aquifer (Udine – Italy): a digital model to grow the water flow from wells, project the pollution protection works, optimize the cost-benefits	251
Technical and economic feasibility of Managed Aquifer Recharge for irrigation development in Northern Australia	252
The relationship between groundwater governance and management at local municipal level	253
The sustainability of non-renewable groundwater from Guarani Aquifer System – A case study in a city at São Paulo State, Brazil	254
The “hydropuls®” process for regeneration and intensification of wells	255
Understanding risks and resilience of private boreholes in Lagos, Nigeria	256
What can modern farms learn from older one? A lesson from ancient wise hydrogeologists.....	257
 TOPIC 3.1. Groundwater and water security in developing countries	258
Application of Na-Ca-Cl-Br systematic in the evaluation of sources of salinity in the saline groundwater systems of the Benue Trough, Nigeria	259
Bridging the concept of groundwater governance to the reality: the case study from the project of enhancing groundwater knowledge and governance for sustainable groundwater management in thailand.....	260
Comparison of groundwater recharge under conservation agriculture and conventional practice...	261
Developing a structured groundwater database for hydrogeological interpretation as a tool for sustainable groundwater management in Guinea-Bissau (W Africa)	262
Empowering local drillers and training communities to ensure groundwater resource sustainability by adequate self flowing well design and drilling.....	263
Geoenvironmental investigation of the metallic concentration of groundwaters in parts of Sapele and Warri, Delta State, Nigeria	264
Governance status in water management institutions in Barind Tract, Northwest Bangladesh: an assessment based on stakeholder's perception	265
Governance and management of high arsenic ground water based drinking water supply in India ..	266
Groundwater resources-climatic changes-energy nexus in Punjab province of Pakistan	267
Groundwater, water-security and sustainable livelihoods	268
Impacts of land-use changes and urbanization on coastal groundwater resources of Lagos, SW-	

Nigeria: Integrated hydrogeochemical and GIS-based assessments	269
Inferring groundwater recharge associations to climate, land use and geological structures using multi-decadal groundwater level observations from the semi-arid Limpopo basin of South Africa..	270
Lessons learned from groundwater governance and management and capacity building programmes in the developing world	271
Mapping of suitable zones for manual drilling in rdc and setting up a national groundwater database	272
Meeting the challenges of sustainable groundwater development and management in emergency response: a joint initiative by Groundwater Relief and Médecins Sans Frontières Holland (MSFOCA) to build understanding about the Tipam Sandstone Aquifer whilst meeting immediate needs of refugees in the Mega camp of Cox's Bazaar, Bangladesh.....	273
Strategies for sustainable groundwater management plan for typical granitic watershed, Telangana State, India	274
The effect of La Niña 2016-2017 and the current abstraction regime on diverse water-reliant companies in Kwale groundwater resources (Coastal Kenya)	275
The upper aquifer in Lake Chad basin: a tremendous opportunity to supply good quality water to people and cattle in an extremely arid region	276
The use of mixing cell modelling to determine transboundary groundwater flow between Malawi and Mozambique.....	277
Water scarcity in pacific island countries; experiences in national water policy development	278
TOPIC 4. Groundwater footprint and virtual water	279
Geochemical evolution of deep groundwater in the Southern Gobi Region (SGR) of Mongolia.....	280
TOPIC 5. Tools, methods and models to study groundwater	281
A versatile multi-port system for high resolution groundwater monitoring in rock and overburden	282
A definition of hydraulic connectivity in geological media.....	283
A hybrid hydrogeological-geostatistical approach to groundwater monitoring network design in shale gas environments	284
A multi-tool approach for developing conceptual and groundwater flow numerical models of the Pianosa Island aquifer system (Tuscan Archipelago, Italy).....	285
A simple graphical method to visualize the end-member fractions in a three-component groundwater mixing: the example of Ferrarelle system (Riardo, southern Italy)	286
A smart soil and groundwater contamination transport simulation system	287
A unique case of water drawdown in deep artesian wells with a very high well-loss component	288
An analysis of river morphology on freshwater lens dynamics in arid/semi-arid regions.....	289
Assessing coastal aquifer vulnerability to seawater intrusion using galdit method: application to the Oulja coastal aquifer, Sahel Doukkala, Morocco	290
An Agent Based Modelling approach to assess the impact of water demand in irrigation networks	291
An absolute upper limit to specific storage has been determined using theoretical analysis and field measurements: What are the implications for groundwater modelling?	292
An example of the use of GIS tools to forecast the inflow of groundwater to underground mining excavations the use of a modified hydrogeological analogy method for copper mines in the ForeSudetic Monocline	293
An iterative geophysical – geological – hydrogeological approach for high resolution interpretation of ERT profiles. The Siguenza-Guadalajara limestone-marl-sand series case-study (Spain).....	294

An over view on isotopic studies in improvement of the Berrechid aquifer conceptual model	295
Analysis of piezometric trends in the Medina del Campo Ground-water Body to understand the status and drivers of changes of groundwater-related ecosystem services. NAIAD EU Project	296
Application of SWAT and MODFLOW models to simulate groundwater flow in a coastal multi-aquifer system in Puck region (northern Poland)	297
Application of a flow-through cell to monitor groundwater source heat pump systems in Melhus, Norway	298
Application of hydro-geophysical monitoring method to identify the flow path of CO ₂ and gas tracers injected in shallow aquifer system at K-COSEM site, Korea	299
Borehole yield estimation from electrical resistivity measurements – a case study of Garu Tempane and Bawku West districts, Upper East region, Ghana	300
Changes of the isotopic signatures and hydrochemistry in the unsaturated zone detected by a precision lysimeter installed in a dune belt (Doñana National Park, southwest Spain)	301
Chemical and isotopic signatures of the thermal groundwaters from Kuldur spa (Russia).....	302
Combining long term monitoring of distributed temperature and cross-hole ERT with hydraulic tests to characterize the seawater intrusion and SGD dynamics in a coastal aquifers.....	303
Comparative analysis of geophysical techniques to characterize shallow groundwater conditions .	304
Comparative analysis of karst spring hydrographs using automatic recession methods	305
Complex three-dimensional saltwater intrusion patterns in heterogeneous coastal aquifers revealed by fully coupled hydrogeophysical modelling	306
Conceptual and numerical groundwater flow models to evaluate construction, geotechnical and environments effects of the Brío railway tunnel for the Ferrol Outer harbor	307
Conceptual hydrogeological model in a part of the Tempisque river basin, Liberia, Costa Rica	308
Data worth in models of groundwater contaminant fractionation	309
Dating groundwater with radio-krypton and radio-argon	310
Dating groundwater with sulfur hexafluoride (SF ₆) using a simple, rapid sampling method	311
Deep Coastal Aquifers Case Studies in Tanzania and Somalia	312
Depth-discrete groundwater flow quantification in poorly cemented sandstone using active distributed temperature sensing to optimize remediation strategy	313
Detection of groundwater discharge using handheld thermal imaging camera and orthophoto map analysis	314
Determining the apparent age of old groundwater of the deeplying Ohangwena aquifer in the Kalahari Basin, Northern Namibia.....	315
Developing a process-based conceptual model for quantifying groundwater recharge in an upland sedimentary bedrock aquifer in a semi-arid region.....	316
Development and application of recharge models for irrigation areas with perched water tables ...	317
Different responses of groundwater levels in Doñana aquifer through time series clustering	318
Drainage galleries system to depressurize active landslide in unconfined aquifer located in the north of Bucaramanga, Colombia	319
Ecohydrology study in the Bogotá savannah using isotope analysis and numerical model.....	320
Environmental isotopes contribution to the characterization of the flow pattern of a large plain hydrogeological system: Bajos Submeridionales (South America)	321
Equalising flow in water wells: from theory to practical results	322
Estimation of date palm water requirements by high-resolution soil water budget and soil water flow calculations	323
Estimation of groundwater recharge on outwash plain using numerical modeling and field	

investigations	324
Estimation of the recharge and analysis of determining factors of water stress in a karstic aquifer through a semi-aggregate model of water balance: Ezcaray-Pradoluengo Aquifer	325
Estimation of water resources from remote satellite sensors	326
Evaluating sensitivity and uniqueness of underdamped slug test models for fractured rocks	327
Examination of the sensitivity of the different multi-criteria analysis methods in the mapping of the potentiality of aquifer formations in the Gar Djebilette region (extreme southwestern Algeria)	328
Experimental research on determination of hydrogeological parameters of filled fractures by slug test	329
Exploring the use of Fiber Optic Distributed Temperature Sensing for monitoring seawater intrusion	330
Features of formation of chemical and isotopic composition of the thermal groundwaters from Kuldur spa	331
Field Survey on recovery situation from groundwater salinization that was brought by the tsunami of the Great East Japan Earthquake using a pumping device with packing.....	332
GIS-based groundwater potential mapping using Machine learning models: Case of Medjerda aquifer, North of Tunisia.....	333
Geophysically based modeling of preferential flow	334
Groundwater recharge based on semi-loose coupling model: a case study in Su-Mi-Huai area, Beijing	335
Groundwater drought investigations – Case study from Pomurje (NE Slovenia) for period 1981 – 2016.....	336
Groundwater flooding – assessment of different engineered flood relief schemes using semi-distributed modelling of karst system.....	337
Groundwater quality prediction maps for risk-based decision making.....	338
Groundwater salinization mechanism in an arid inland basin: the Manas River Basin in the Northwest China.....	339
Groundwater surface water interactions in the headwater catchments in Qinghai-Tibetan Plateau, constrained by multiple isotopes and implications of biogeochemical cycling	340
Hydrologic and stratigraphic impacts to densitydriven flow along brine-to-freshwater interfaces in arid basins	341
How to account for uncertainty in estimation of adsorption isotherms parameters?	342
Hydrochemical and isotopic multi-tracer data to characterize subsurface upwelling of saline groundwater along conductive fault zones.....	343
Hydrochemical and isotopic study of the salinity anomaly of de Motril-Salobreña aquifer in the environment of La Rambla de las Brujas (Granada, Spain).....	344
Hydrochemical characteristics, groundwater quality assessment and environmental isotopes in M'Sila area, Hodna, Algeria	345
Hydrodynamic modeling of Ranney wells in Hungary.....	346
Hydrogeochemical characterization of an evaporite karst system (Jarales area, S Spain)	347
Hydrogeochemical study of epiperidotitic springs of the ultramafic outcrop of Ronda peridotites (South of Spain)	348
Hydrogeological characterization of coastal aquifers in Seocheon watershed, Korea: a case study of groundwater and seawater interaction	349
Hydrogeological conceptual model of andesitic stratovolcanoes. The Bromo-Tengger case-study (Indonesia).....	350
Hydrogeological context of Ollachea road tunnel (Puno District; Peru)	352

Hydrogeological modeling of the Eastern Mountain Aquifer, Israel, suggesting substantial migration of discharging springs in time	353
Incorporating the spatial variability of tritium in precipitation to constrain the distribution of groundwater tritium and modern recharge in South Africa	354
Integration of electromagnetic and electrical resistivity for groundwater exploration in Kintampo South district, Brong-Ahafo region in Ghana	355
Isotopes and noble gases investigation of Souss-Massa aquifer, Morocco	356
Identification and quantification of spatial and temporal hyporheic fluxes using high-resolution distributed temperature sensing in the first-order alpine stream in Taiwan	357
Identification of groundwater potential zones by using remote sensing, GIS and géostatistical analysis in Saida region, NW Algeria	358
Implementation of a new framework for real-time monitoring and control of subsurface processes at a pilot managed aquifer recharge site in Pirna, Germany	359
Improving groundwater-surface water modeling by integration of rain gauge and NEXRAD data ...	360
Improving rainfall recharge models via drone remote sensing	361
Infiltration and groundwater recharge dynamics in unsaturated fractured rocks: from pore-scale (multi-scale) smoothed particle hydrodynamics modeling to catchment response simulations	362
Influence of layered soil structure on the groundwater recharge rates and contaminant travel time: A numerical study using SWAP model and comparison with simplified methods.....	363
Innovative coupling between GEOMODELR, FEFLOW and MODFLOW to generate unstructured and prismatic meshes with complex geological models for groundwater	364
Integrating Fiber-optics distributed temperature sensing and electromagnetic geophysics data for multiscale characterization of GW-SW interactions in heterogeneous streambeds	365
Interpretation of a large scale pumping test conducted in faulted sedimentary rock from channel type flow structures.....	366
Introducción de la tecnología de medición del radón-222 como radiotrazador hidrológico en la región central de Cuba.....	367
Investigation of groundwater recharge under a semiarid irrigated mountain-front area (Haouz-Tensift basin, Morocco)	368
Laboratory analog of water exchange between conduit and matrix domains in karst aquifer	369
Local meteoric water line of southwest Spain	370
Lysimeter experiment on municipal landfill waste	371
Magnetic Resonance Sounding for assessing aquifer properties and groundwater reserves in weathered hard rocks of Africa	372
Maximum-flux constraint for the MODFLOW DRAIN package to simulate dewatering wells	373
Modeling leachate and biogas production in MSW landfills using BIOLEACH: Case study of the Tlalnepantla landfill (Mexico)	374
Models of single-well push-pull test with mixing effect in the wellbore.....	375
Monitored Vapor flux and groundwater recharge in 2 hydrological years by a precision meteo-lysimeter.....	376
Monitoring system to define the hydrological behaviour of a complex landslide: a case study in the Northern Apennines (Italy).....	377
Monitoring technology of groundwater-air pressure (enclosed potentiometric) for karst collapse studies	378
Multi-fractal model for analyzing seepage parameters of fractured rock mass	379
Numerical study on spring water in non-uniform slopes at heavy rain	380

Numerical simulation of aquifer responses to the recharge changes and pumping stress: the case of Modjo River catchment, Central Ethiopia	381
Numerical innovations in geological and groundwater modeling with unstructured meshes applied to underground works and complex geologies in Andean Mountains.....	382
Numerical modelling to assess head losses and flow characteristics through water well screens	383
On the use of ELLAM for seawater intrusion in fractured porous media	384
Prediction of groundwater inflow rates to longwall coal panels in Central Turkey	385
Prediction of groundwater inflow rates to an open pit mine in Eastern Turkey	386
Preliminary results of the simplified VarKarst semi-distributed model applied at an overexploited karst system: the case of Torremolinos – Alhaurín de la Torre aquifer (Mijas range, Málaga Spain) 387	387
Preparing for an advanced pump/injection test in a coastal area in the Netherlands: determination of background variations and local response of groundwater heads to tide, precipitation, evaporation, and surface water levels	388
Radioargon dating with atom trap trace analysis	389
Real-time indication of faecally contaminated drinking water with fluorescence spectroscopy: towards understanding the causation.....	390
Remote sensing for monitoring and mapping karst groundwater flooding in the Republic of Ireland	391
Remote sensing and integrated hydrological models in hydrogeology.....	392
Scavenging operational and monitoring data for high-resolution site characterization.....	393
Similarity based approaches in Hydrogeology: basic concepts, alternative approaches, first results, potential applications, pitfalls and problems	394
Simulation of borehole heat exchangers using MODFLOW-USG and USG-Transport	395
Spatial and statistical analysis of factors influencing groundwater vulnerability on the study area of the Gömör-Torna Karst (Hungary and Slovakia).....	396
Stochastic investigation of flow and transport parameters via assimilation of concentration and water table data	397
The Pilato Lake (Sibillini Mts., Central Italy): second results of a study on the supposed variations of its hydrogeological conditions induced by the seismic sequence 2016-2017	398
The effect of multi-step adsorption isotherms on the solute transport in porous media	399
The mapping and characterisation of sand and gravel aquifers across Ireland; recently completed and proposed future work	400
The parametric uncertainty analysis of water and nitrogen transport simulation in vadose zone for irrigation districts in western Jilin province, China.....	401
The piezometric tidal signal, a new tool for studying the properties of even the shallowest aquifers	402
Theoretical analysis of well extraction and injection capacities under constraints on hydraulic head	403
Towards a holistic approach in characterising the water cycle in the Campine area (NE Belgium) at various temporal and spatial scales	404
Tritium (3H) to understand groundwater recharge processes and flow regime of intensively exploited aquifer of northwest India.....	405
Underground hard coal mine flooding control as a factor for limiting methane emissions to the atmosphere and for enabling its utilisation.....	406
Understanding land use change impacts on freshwater using integrated surface water-groundwater modelling.....	407
Use of 16S rRNA sequencing analysis on bacteria in well-water to identify groundwater recharge	

sources	408
Use of geographical information system and water quality index to assess groundwater quality in Krimat aquifer (Essaouira; Morocco)	409
Use of electrical conductivity for stratigraphic correlation and estimation of permeability in variable density aquifers	410
Use of hydrogeological and hydraulic modelling for well and wellfield productivity forecast: case study of Jelgava Town, Latvia.....	411
Use of local knowledge and participative monitoring in scarce data areas. Case of the hyperarid and mountainous Northern Chile	412
Using natural tracers and high frequency physicochemical monitoring as complementary tools to a groundwater flow modelling.....	413
Well radius of influence and well radius of investigation: Review of concepts and estimation methods	414
TOPIC 5.1. Dynamic analogues.....	415
Aquifer Dynamic Characterization Tools System: the ADYCHATS industrial pilot site for better understanding of mass flux in groundwater	416
Characterization of aquifer heterogeneities by integrating tomographic pumping tests and flowmeter data	417
Characterization of horizontal permeability anisotropy in heterogeneous porous rocks: a comparison of tensor detection methods with synthetic and field datasets	418
Dynamic outcrop analogues in groundwater reservoirs. A disruptive approach for reservoir characterization and modelling	419
Fault zone in massive limestones: karstified or not karstified contexts?.....	420
Hydrogeological and hydrogeophysical insights into karst aquifer unsaturated zone. Challenges and limits.....	421
Inter-disciplinary characterisation of carbonate reservoirs. ALBION, a multi-scales dynamic analogue	422
New insights into karst genesis processes in unsaturated zone thanks to process-like modelling....	424
Numerical simulation of water flow through observation boreholes: Measurements with Colloidal Borescope (CB) and In-WelPoint-Velocity-Probe (IWPVP)	425
Passive seismic monitoring of the groundwater level in the Fontaine de Vaucluse aquifer	426
Permeability modelling using pressure match of well tests and interference tests. A case study in an anisotropic reservoir, the Céreirède observatory.....	427
Sequence stratigraphy as an inter-disciplinary tool for karst network forecast. Multiphase and multiprocess karst genesis in the Urgonian Formation	428
TOPIC 5.2. High island hydrogeology	429
Are they different volcanic island hydrogeological conceptual models?.....	430
Assessment of spatial varying relations between nitrate contamination and land uses using geographical weighted regression model.....	431
Conceptual hydrogeological models of oceanic intraplate volcanic small islands	432
Characterisation of geogenic controls on groundwater quality in a volcano-sedimentary aquifer in Kenya using graphical and statistical methods.....	433
Emerging compounds monitoring in Santiago Island groundwater: preliminary results	434
Groundwater management in the Azores archipelago (Portugal): state-of-art and identification of the	

major constraints	435
Groundwater pollution from agriculture activities in the Azores archipelago (Portugal): an insight from a long range monitoring programme data	436
Hydrogeological functioning of an andesitic island revealed by helicopter-borne electromagnetic survey (Martinique – Caribbean island)	437
Recharge evaluation in an oceanic volcanic island: Gran Canaria (Canary Islands)	438
 TOPIC 5.3. Advanced modelling tools for subsurface hydrology: from the vadose zone to deep environments	 439
A new method for pore water content measurement of low-permeability rocks	440
A detrending method for hydrogeological series in complex systems.....	441
A multi-method characterization of river-aquifer interaction at the meter-scale: combining field measurements, heat transport modelling and groundwater modelling	442
A new inverse modelling algorithm for hydraulic tomography based on a mixture model	443
A quantitative appraisal of groundwater head time-series measurement: How well are we doing?	444
Advantages and challenges of using soil water isotopes for assessing groundwater recharge: Illustration with a field study located in Canada.....	445
Analysis of exact groundwater model within a confined aquifer: New proposed model beyond the Theis equation	446
Analysis of hydrographs from a karst aquifer in a former mining area, Hungary	447
Application of machine learning technique and network selection for prediction of the groundwater level.....	448
Are 253 samples better than 65 samples? Urban groundwater monitoring in developing countries – Lessons learnt in N'Djamena, Chad	449
Assessing the feasibility of managed aquifer recharge through unsaturated zone modeling with VS2DTI in a multilayer system	450
Assessing the potential of denitrification through Managed Aquifer Recharge (MAR).....	451
Assessment of groundwater arsenic contamination in the Red River Delta (Vietnam) by integrating satellite-based data.....	452
Biogeochemical precipitates at the terminal points of regional groundwater flow systems as analogs for geothermal plants and past processes	453
Characterization of deep and shallow aquifer using stable isotope ^{18}O and D. Case studies from self flowing wells in Indonesia	454
Combining unsaturated zone modelling with indirect and direct measurements to quantify solute transport during snowmelt.....	455
Comparative hydrogeology – application of quantitative descriptors to groundwater time series with spatial proximity	456
Dealing with geological heterogeneity and uncertainty in groundwater modelling: challenges and lessons learnt	457
Decision support tool for the evaluation of potential mar sites: Aquastore.....	458
Development of the method predicting suitable area for installation of ground-source heat pump system using response surface methodology.....	459
Devise strategies and modelling tools to target the objectives of the EU Nitrates Directive and to enhance agricultural water management	460
Estimation of recharge and evaporation in the Northwestern Sahara Aquifer System (North Africa) using stable isotope and chloride profiles in soil water.....	461

Effects of water table depth on the hydrological process in the unsaturated zone.....	462
Falaj Modelling by Aquifer – Pipe Flow Coupling	463
Groundwater in the upper part of the eastern desert of Egypt: isotopes, infiltration, flow conditions, and chemical indicators.....	464
How ground gets wet: physical experiments of variably saturated flow.....	465
Implication of geological heterogeneity on the distribution of dissolved arsenic in an alluvial aquifer in Italy evaluated using a 3D multicomponent reactive transport model.....	466
Modeling a heat tracer test in alluvial sediments using Monte Carlo: on the importance of the prior	467
Modeling the 3-D hydraulic conductivity distribution in the southern Po river plain by stationary and non-stationary geostatistics.....	468
Modelling water stable isotopes to trace the variability of groundwater recharge	469
Multi-method approaches to quantify groundwater and river exchange in lowland floodplains of Belgium.....	470
Numerical Modelling of Groundwater Flow in Medipalli open cast mine area, Telangana, India	471
Numerical analysis of periodic transient contaminant-leaching episodes in the unsaturated zone ..	472
Optimization of pilot points distribution in inverse modelling: A case study from Qatar Aquifer	473
Permanently operating mathematical model of a group of groundwater well-fields in Kazakhstan as the basis for groundwater's monitoring and management.....	474
Quantifying the contributions of silicates weathering and calcite dissolution to hydrochemistry of groundwater in sandstone using Sr isotopes.....	475
Quantity and quality variations of dissolved organic matter (DOM) in column leaching process from agricultural soil: hydrochemical effects and DOM fractionation	476
Radionuclide content of groundwater in hydrogeological approach. Case study in the adjacent area of a granitic complex	477
Rare Earth Elements in thermal and mineral waters from Mesozoic aquifers of the Polish Lowlands	478
The use of inflation in ensemble Kalman filter for the joint identification of contaminant source parameters and hydraulic conductivities in a sandbox experiment.....	479
Thermal springs as “outcrops” of geofluid systems and provenance of biogeochemical accumulations and environmental impacts	480
Upscaling of transport processes of colloids through unsaturated porous media: Obstacles and uncertainties.....	481
TOPIC 5.4. Innovative approaches for understanding groundwater flow systems	482
A multi-scale groundwater modellling to understand regional and local groundwater processes in the Valle del Cauca aquifer, Colombia	483
Cold water injections as innovative smart tracer technique in hot fractured aquifers.....	484
Conceptual hydrogeological model of the Rio Grande watershed, Alajuela, Costa Rica using hydrogeochemical and isotopic tools.....	485
Density dependent flow, multispecies transport and geochemical modeling and applications: The code GEODENS.....	486
Earth and atmospheric subsurface tidal analysis A passive approach to quantify groundwater system properties.....	487
Estimating natural gradient groundwater flow direction at multiple depths simultaneously in a bedrock aquifer using fibre optic Active Distributed Temperature Sensing (A-DTS).....	488

Flow and heat transfer numerical modelling in the Hainaut limestone geothermal reservoir: study at local and regional scales.....	489
Groundwater flow modelling through a karst aquifer using four different numerical approaches....	490
Groundwater flow system of the North China Basin: Groundwater age, heat and flow simulations	491
Hydrodynamic and heat transport 3D modelling of the Pannonian Basin, HU-SRB-RO pilot area of the DARLINGe project.....	492
Hydrogeochemical and isotopic investigation of the Metlaoui range springs in southwestern Tunisia	493
Hydrogeological Conceptual Model in a sub-arctic catchment at Montmorency Forest (Canada) ...	494
Isotope assessments in the Sag, Brazil: from stable isotopes to noble gases	495
Identifying the groundwater flow systems in a condensed river network interfluve between the Han River and the Yangtze River using hydrogeochemical indicators.....	496
Improved representation of regional groundwater flow in the Hertfordshire Chalk (UK) by merging four existing regional groundwater models	497
Integrated approaches to characterize Cenozoic clay-rich layers and investigate their role in regional groundwater flow; Dutch case studies	498
Investigation of hydrochemical and isotopic tools for identifying recharge areas and groundwater evolution in carbonate aquifers overlain by complex glacial sediments	499
Is it possible to introduce 3D complex heterogeneities in a real transient groundwater model used to manage a sedimentary aquifer?.....	500
Mapping groundwater dynamics in the Netherlands: three-dimensional insight in groundwater systems based on the Dutch national database of subsurface information (DINOloket.nl).....	501
Multiple salinization processes along groundwater flow paths in a coastal irrigated plain, Korba, Tunisia	502
Numerical investigation of the combined effect of different driving forces in the Buda Thermal Karst, Hungary.....	503
Numerical simulation of groundwater flow with three-dimensional anisotropic permeability effect	504
Physiographic and climatic controls on groundwater dynamics in Southern Germany	505
Preliminary studies on regional groundwater management system in China.....	506
Regional distribution of Rn-222 concentrations in hot spring waters of South Korea.....	507
Relevant hydrogeological processes for integrated hydrological models in tile-drained agricultural fields.....	508
Revealing groundwater flow systems on the basis of statistical spring data analysis.....	509
The importance of fluid flow system evaluation in the understanding of hydraulic trapping of hydrocarbons – Case study of Hajdúszoboszló and Ebes gas fields, Hungary.....	510
Using groundwater heat data as additional state variable observation to decrease groundwater models uncertainties: an application to the Neogene aquifer, Belgium	511
Utilising hydrocarbon exploration data for the search to deep groundwater	512
Validating the conceptual model of a fault-controlled geothermal resource through numerical simulations for a renewable and sustainable utilization.....	513
When not finding enough water is both good and bad – Methods to assess a crystalline rock, potential site for Canada's used nuclear fuel	514

TOPIC 6. Groundwater, wetlands and natural heritage.....515

2D modelling of freshwater-salt water interface in a hypersaline wetland: Pétrola Lake, SE Spain.....	516
Aquifer recharge mechanism in the southeastern area of the Salar de Atacama, northern Chile, from the isotopic composition of water	517
Chemical and isotopic characteristics of groundwater in a hyperarid environment: Depresión Central (24-25°S), Chile.....	518
Contribution of deicing and rainfall to recharge to a volcanic aquifer in northern Chile	519
Developing a real-time monitoring network of groundwater dependent karst wetlands in Ireland .	520
Groundwater recharge by density-driven flow in terminal saline lakes: Pétrola Lake, SE Spain	521
Groundwater-Surface water interactions in natural wetlands: a multidisciplinary approach to unravel a neglected issue	522
Hydrodynamics and water quality in the southwest sector of Graben Das Lajes	523
Hydrogeology of the Villafáfila lakes (Zamora, Spain) and their relationships with regional flow	524
Hydrological changes in representative ponds at Doñana National Park (DNP) southern Spain, from 1994 to 2015	525
Hydrological functioning and anthropogenic influence in four shallow ponds by means of daily water balances. Doñana National Park, southern Spain (years 2016-17 and 2017-18).....	526
Isotope and geochemical tracers to quantify seasonal variations of the water balance components in a groundwater-dependent low altitude Mediterranean peat bog (Corsica Island, France)	527
Isotope studies and other hydrogeological techniques to estimate groundwater contributions to a swamp ecosystem.....	528
La Pletera salt marshes and their coastal lagoons (NE Spain) as an example of natural, and particularly hydrogeological heritage	529
Numerical assessment on the impact of water table decline on phreatophytes in arid regions	530
Quantitative approach to water balance in groundwater dischargehypersaline wetlands. Pétrola lake, SE Spain	531
Rainwater pipeline project between Paris Charles de Gaulle Airport and the river Marne: assessment and reduction of the impacts of groundwater drawdown operations on wetlands and rivers	532
Study of the response of various hydrological systems to several storm events near the city of Malaga (spain)	533
Springs as elements of natural and cultural heritage. The example of Sant Hilari Sacalm (Les Guilleries, NE Spain).....	534
The Hidrogeodía (Hydrogeology-day): a collective experience of groundwater dissemination in Spain	535
The importance of biological processes in quantifying the connection between wetlands and groundwater.....	536
The role of groundwater in supporting eco system and cultural services in North West England	537
Towards water quality management of an urban pond supported by nutrient rich groundwater	538
Understanding streamflow reductions using a distributed rainfall/runoff model and remote sensing for the Verlorenvlei estuarine lake, west coast, South Africa	539
Use of stable isotopes to identify sources of nitrogen transformation processes in the aquifer of the Campo de Montiel (Central Spain).....	540
Using light-weighted geophysical techniques for the rapid ecohydrological characterization of different peatlands in the Alps	541

TOPIC 7. Karst Hydrogeology	542
3D complex pollutant transfer in karstified chalk aquifer systems in Eastern Normandy, France.....	543
A calculation method for three-dimensional permeability tensor in a carbonate aquifer.....	544
A global dataset of simulated karstic groundwater recharge to support water management and speleothem analysis.....	545
A historical conflict around karst resources: the case of Tridaine spring (Rochefort, Belgium).....	546
A multi-method approach to quantify and simulate groundwater flow components in karst aquifers using pipe-network models.....	547
A tool box for managing karst	548
Adapting the EPIK method to Brazilian Hydro(geo)logical context of the São Miguel watershed to assess karstic aquifer vulnerability to contamination	549
Advances in understanding long-tailed breakthrough curves from tracer tests in karst aquifers.....	550
An example of inverse delineation of basin boundaries based on water budgeting in highly karstified terrains	551
Analysis of hydraulic conditions of the selected karst springs of Inner Dinarides and Carpatho-Balkanides of Serbia	552
Analysis of the water turbidity in karst springs from S Spain and its relationship with other natural responses	553
Application of the COP model for vulnerability assessment of the Paraw-Bisetun karst aquifer.....	554
Baseline hydrogeochemical characterisation of a vulnerable pristine high-mountain karst aquifer in the southeastern Pyrenees	555
Calibration of a semi-distributed lumped model of a karst system using time series data analysis: the example of the Qachqouch karst spring (Lebanon).....	556
Characteristics of the epiphreatic flow in the karst aquifer north from Planinsko Polje, Slovenia	557
Characterization of the regional groundwater flow system and groundwater related phenomena in the Villány thermal karst area (Hungary).....	558
Characterizing the linkage between soil moisture dynamics and discharge at a karst region in Southwest Germany	559
Contrasting the behaviour of karstic and non-karstic hydrologic processes at the catchment scale	560
Distributary flow in karst systems: geological and climatic controls	561
Development of a protection concept for the Dong Van Karst area as basis for a sustainable drinking water supply, Northern Vietnam.....	562
Distribution characteristics and genesis of carbonate thermal reservoirs in Xiongan New Area.....	563
Enhanced understanding of coastal karst aquifer system through monitoring of source-specific contamination occurrences at intertidal springs.....	564
Evolution simulation of karst groundwater flow field by considering multi-year time series (1959-2018) recharge and drainage changes in the Jinci spring area, China.....	565
Experimental study of solute transport in looping dual-conduit systems	566
First results to model statistical karst networks using seismic faults and an original sub-seismic faults statistical model: a study of uncertainty impacts on flow	567
Geochemical and hydrochemical approach to a group of karstic aquifers in the South of Spain: Sierra de las Nieves y Sierra Gorda.....	568
Groundwater protection zones and the security of public water supplies	569
Groundwater storage in conduit dominant karstic systems by Plugging Method, Susuz Springs, Seydişehir, Konya, Turkey	570

How does the dissolution kinetics affect the evolution of the solution pipes?	571
How to model the impacts of land use changes in karstic environments: Model development, parameter dimension reduction and uncertainty quantification	572
Hydraulic and geochemical impact of occasional saltwater intrusions through a submarine spring in a karstic and thermal aquifer (Thau Lagoon area, Montpellier, France).....	573
Hydrochemical and isotopic indicators for conceptual model of karst groundwater in Fanghsan, Beijing	574
Hydrochemistry and water-rock interaction in perched Cretaceous aquifers from the inverted relief in the Sierra de Segura (SE Spain)	575
Hydrogeological and geothermal sections of the Bükk Thermal Karst reservoir, Hungary	576
Hydrogeological aspects of the northeast part of Yucatan Peninsula by the use of noninvasive geophysical methods	577
Hydrogeological study of the effects of 2016-2017 seismic sequence on the Pescara d'Arquata spring (Central Italy).....	578
Identification of flowpath and depict of flow system of deep buried karst system (Jinci karst catchment) in northern China.....	579
Impact of chalk karst on river flow in Normandy : comparison of the behavior of three rivers and quantification of karst flow	580
Impact of historic and future climate on spring recharge and discharge based on an integrated numerical modelling approach: Application on a snow-governed semi-arid karst catchment area...581	
Impact of low flow conditions on microbial signature and natural attenuation in a karst aquifer582	
Improvement and Application of SWAT Model in Southwest Karst Region-a case study in Lijiang River Basin	583
Influence of stress on incipient karst generation in natural fracture networks	584
Integrated approach to understand groundwater flow hosted in the karst aquifer systems of the Apuan Alps (Tuscany, Italy)	585
Interactions H ₂ O-CO ₂ -rock in a vadose CO ₂ -rich karst research site (surroundings of the Nerja Cave, Málaga, Spain)	586
Investigating geological controls on hydraulic conductivity in a karst-influenced, Paleozoic carbonate groundwater system, southern Ontario, Canada.....	587
Investigation of the impact of changed precipitation patterns on groundwater recharge processes in a semi-arid carbonate aquifer by an integrated surface-subsurface, multi-continuum model.....588	
Isotopic preliminary characterization of meteoric waters and groundwater from the carbonate karst aquifers of Sierras de Segura, Castril and Seca (SE of Spain)	589
Karst functioning: What do we learn from the various modeling methods?	590
Karst groundwater exploration and utilization in south China	591
Karst spring discharge evaluation supported by a grey-box data driven based method	592
Mechanism analysis of sinkhole formation at Hanpoao-Baishiling village, Xinhua County, Hunan Province	593
Methodological approach for karst aquifers evaluation: case study of Učja Valley aquifer, NW Slovenia	594
Multi-isotope-measurements (18O/2H,3H/3He,13C/14C) confirm old ascending karst spring-water at the western border of the Pannonian Basin (Austria).....595	
New isotopic surveys on the Poiano karst system.....	596
Organic matter quality impacts on carbonate dissolution in groundwater of a lacustrine aquifer of Central Jianhan Plain: hydrochemistry, 13CDIC and fluorescence PARAFAC data.....597	

Predictive groundwater flood mapping in a lowland karst environment.....	598
Quantitative classification of carbonate aquifers based on hydraulic behaviour	599
Quantification of large-scale groundwater resources in karst aquifers within the Mediterranean region under the light of long-term shifts in climate	600
Quantitative analysis of daily discharge records example of big spring, Missouri.....	601
Rapid assessment method for karst conservation zone delineation in Indonesia	602
Rapid karst development in salt layers during and following flash floods along the shores of the Dead Sea.....	603
Realization and application of solute transport coupling model in discrete conduit-continuum systems.....	604
Soil thickness approaching to adapt the COP method for groundwater vulnerability mapping to humid tropical karst	605
Source analysis of sediments and leakage water in corridor of underground reservoir in Karst area	606
Spatial modeling of three-dimensional distribution of karstic network in a carbonate rock area.....	607
Spatial-temporal changes of the infiltration signal in a geologically complex aquifer using isotopes and natural tracers. A case study from Southern Spain	608
Statistical evaluation of the World Karst Aquifer Map: Global distribution of karst aquifers	609
Stochastic simulation for characterizing the spatial variability of the groundwater level of an urban karstic aquifer in Brazil.....	610
Study on non-linear recharge process of karst groundwater from river leakage in the Jinci spring area, China	611
The Castleton karst hydrogeological system, Derbyshire, UK: a challenge for modellers	612
The epiphreatic flow in mature karst aquifers: theory, models and observations	613
Temporal variability of sediment discharge and influence factors in a karst underground river catchment in southwest China	614
The lateral groundwater exchanges from Mt. Maggiore aquifer and Riardo Plain hydrogeological system (southern Italy)	615
Traceability analysis of calcium ions in water after grout curtain at dam site	616
Tracing bacterial transport in epikarst and karst-conduit aquifers with injected E. coli.....	617
Tracking the origin of SO ₄ -2 enriched karst groundwater at a regional scale (S Spain)	618
Turbidity dynamics in karst hydrogeological systems. Example of three karst springs from Serbia..	619
Typology of karst aquifers in Europe: a review – GeoERA RESOURCE project, CHAKA work package	620
Underground dam construction impact to the groundwater quantity and quality of Ryukyu limestone aquifer in Southern Okinawa Island, Japan.....	621
Unlocking the mysteries of the Diquini Tunnel, Haiti's largest supply of water	622
Using geochemical data and aquifer simulation to characterize a carbonate aquifer (Balanegra, SE Spain)	623
Using recession analysis to identify and characterize changes within a karst aquifer (Lurbach system, Austria)	624
Validation of vulnerability assessment by means of the Time Dependent Model: case study from the Slovenian karst catchment	625
Visual KARSYS – a web service for modelling karst aquifers	626
Water balance as a tool for sustainable management of karst aquifers – example of the catchment of the Malenčica karst spring (Slovenia)	627

Water isotope monitoring to study transpiration and trees drought responses on Mediterranean karst 628

TOPIC 8. Groundwater quality and pollution processes 629

- A baseline assessment of emerging organic contaminants in New Zealand groundwater 630
- A multi-isotopic approach to evaluate the origin of Fluoride in groundwater in the Main Ethiopian Rift Valley 631
- A multi-method approach to assess the temporal variability of drinking water quality in Sub-Saharan Africa 632
- A new model approach for reactive solute transport in dual-permeability media with depth-dependent reaction coefficients 633
- A superior indicator of microbial risk: real-time fluorescence spectroscopy 634
- Abandoned coal mines and groundwater pollution: A case study in S. Pedro da Cova, N Portugal 635
- An improved DRASTIC-based groundwater vulnerability assessment using particle swarm optimization (PSO) algorithm 636
- Application of water isotopes and hydrogeochemistry for the determination of water sources in the intensive agriculture area of Guadalhorce detrital aquifers (South of Spain) 637
- Assessing emergent contaminants as anthropogenic markers and its fate in aquatic ecosystems at Yucatan Peninsula 638
- Assessing the Wildfires impact on groundwater quality: the fire of Doñana Natural Area in 2017 639
- Assessing the potential impacts of shale gas development on shallow aquifers through upward fluid migration: A multi-disciplinary approach applied to two areas in eastern Canada 640
- Assessment of groundwater oil contamination and the development of measures for its localization and liquidation (on the case study of the residential area within St. Petersburg, Russia) 641
- Assessment of groundwater vulnerability to pollution as part of integrated management in coastal. Case of Ghiss-Nekkour basin (North East of Morocco) 642
- Atrazine and desethylatrazine distribution in the natural reserve of Pétrola saline lake after 12 years of prohibition 643
- CLUES-GW: a simple coupled steady state surface-groundwater model for contaminant transport 644
- Conditions for the formation of radioactive contamination of groundwaters of the Chernobyl nuclear power plant 645
- Characterization of an acid spring with extreme conditions of a dump at the Tharsis sulfide mines (SW Spain) 646
- Characterization of carbon in the shallow alluvial groundwater system 647
- Characterization of forest fire ashes as a source of groundwater pollution. The fire of Doñana natural space 2017 648
- Chemical (macro, trace including rare earth elements) and isotopic record of deep brines leakage to shallow freshwater aquifers in northern and central Poland 649
- Composition of pore waters of lake Baikal bottom sediments sampled at the Gorevoy Utes hydrocarbon fluid seepage area 650
- Contribution to solute transport properties determination of a karstic formation 651
- Contribution to the study of groundwater salinity of the Bou Areg and Gareb plains. Hydrogeological approach Geophysics and Hydrogeochemistry. Morocco, North Oriental 652
- Degradation of chloroethene plumes of aged sources located in the hyporheic zone in the presence of co-contaminants with the combination of In-Situ Chemical Reduction methods with biostimulation of the dechlorinating microorganisms 653

Delineation of heat reservoir and thermodynamic equilibrium of thermal waters in the Magumsan area, South Korea.....	654
Detail investigation of environmental effect by leachate for around livestock burial	655
Determining the source of deicing salt contamination to bedrock wells using downhole logging methods	656
Diffusion and weathering of oil spill in Daya Bay, the South China Sea.....	657
Effect of microbially mediated sulfate reduction on arsenic mobilization in the Pleistocene aquifers of the central Yangtze River Basin	658
Endocrine Disruptors in groundwater of a Mediterranean Natural Reserve and Important Bird and Biodiversity Area (IBA) in Southern Spain: Fuente de Piedra basin (Málaga, Spain)	659
Environmental Impacts on Groundwater of Wadi Fatimah, Western Saudi Arabia	660
Environmental and modeling assessments of phosphate processing waste impact on the Skhira phreatic aquifer, South East of Tunisia.....	661
Evaluation of chemical analysis af a 'hidden spring'	662
Evaluation of the in situ behavior of a non-electrolyte solution using fluorescent dye tracers	663
Experimental investigations of enhanced solute dispersion in beach aquifers due to wave action ..	664
Feature selection for mapping the probability of groundwater pollution using Random Forest	665
Field data on antibiotic groundwater occurrence sets challenges for efficient water resources quality monitoring	666
Field investigation into the natural attenuation of Chlorinated Hydrocarbon and BTEX combined polluted site Hydrochemical and microbial Evidence	667
Flow path and velocity by 3-D groundwater flow simulation based on detailed facies analysis of Fukushima Daiichi Nuclear Power Station in Japan.....	668
Geochemistry and genesis of Fluoride in drinking water sources of rural areas of Parbhani district, Maharashtra, India	669
Geochemistry of trace elements and microbial assessment in groundwater contamination and soils (South-eastern Nigeria)	670
Geomorphic controls of arsenic pollution in groundwater of Ganga delta of West Bengal, India: an appraisal on medical geology	671
Groundwater flow and solute transport models to assess and mitigate the environmental effects of the Sardas site in Sabiñánigo (Huesca, Spain)	672
Groundwater pollution and cancer Liver.....	673
Groundwater pollution from urban and industrial liquid effluents and agriculture in the Settat aquifer (Morocco): hydrogeochemical study	674
Groundwater pollution: sources and risks	675
Groundwater quality constraints in the Vieira de Leiria Marinha Grande aquifer and its implications for water supply (Portugal).....	676
Groundwater quality in the foothills of the Crimean mountains.....	677
Groundwater/surface-water interactions and their effect on nitrate pollution in the Oglio River basin (N Italy)	678
Hydrochemical approach on Fluoride Water Pollution in Mt. Meru Watershed, Tanzania	679
Hydrochemical characterization of groundwater brines in the Guadalquivir Depression (Andalusia, Spain)	680
Hydrochemistry and geochemistry of arsenic-rich geothermal water: a case study of Batang, Western Sichuan	681
Hydrogeochemistry and Occurrences of uranium and radon in Groundwater of Wonju, Korea.....	682

Hydrogeochemistry of groundwater in the Namaqualand region, South Africa: Implications for surficial uranium potential	683
Hydrogeochemistry of low-pH springs at El Arpa Valley (Central Chile)	684
Hydrological tracers for assessing transport and dissipation processes of pesticides in a model constructed wetland system.....	685
Investigation of groundwater quality from selected water wells in Paiko, Northcentral Nigeria.....	686
Identification and delineation of closed ground depressions in order to assess the impact of wildfires on groundwater quality.....	687
Identification of the denitrifier microbial communities at the watersediment interface in a discharge type saline lake	688
Identifying interactions between river water and groundwater in the North China Plain using multiple tracers.....	689
Impact assessment of environmental factors on roxarsone degradation and microbial community in the vadose zone.....	690
Impact of geogenic arsenic mobilisation on drinking water production from glauconitic sand formations: origin, processes and mitigation strategies	691
Improving groundwater storage and quality in a seawater intruded multi-aquifer system by managed aquifer recharge	692
Investigating the impact of a municipal solid waste facility on groundwater using environmental isotope and landfill gas analysis	693
Isotopic and geochemical evidence of groundwater origin and salinization in multi layered coastal aquifer of India.....	694
Limitations of current protocols to predict groundwater contamination from alkaline mine waste ..	695
Major issues in groundwater and surface water quality in Cambodia and Myanmar	696
Modelling fate and transport of pesticides in the unsaturated zone: the case study of the contamination of the Valencia Plain aquifer by Chlorpyrifos	697
Multidisciplinary approach to study the landfill leachate impact on groundwater hydrogeochemistry in aquitard and aquiclude	698
New Quickscan method for prevention of groundwater pollution through stormwater infiltration, XRF as new quick scan method to map heavy metals in Dutch Sustainable urban Drainage Systems	699
New approach to assessment of the risk of groundwater contamination by sulphates in karst-fractured Triassic aquifer intensively drained by Zn-Pb ore mines (Poland).....	700
New 'full scale' monitoring method for (subsurface) stormwater infiltration to protect groundwater, long term (hydraulic) efficiency of SuDS in The Netherlands	701
Nitrate Vulnerable Zone to reduce nitrate pollution in groundwater: the unsuccessful case of Gallocanta groundwater body (Spain).....	702
Nitrate contamination and temporal trends in volcanic Barva and Colima aquifers (1988-2018), in an urban and agriculture-dominated region, Costa Rica	703
Nitrate fate and origin in epikarst springs in Jinfo Mountain area, Southwest China.....	704
Nitrogen and phosphorus compounds in coastal multi-aquifer post glacial hydrogeological system: case study in Puck region (northern Poland)	705
On fluorescent dye tracing in engineered bio-remediation: insights from one year of data acquisition	706
Origin and distribution of saline groundwater at Ghis-Nekor aquifer, Al Hoceima, Central Rif, Morocco	707
Origin and occurrence of the hydroxide water	708

Origin of groundwater salinity in the vicinity of Lake Fitri, Central Lake Chad Basin	709
Pharmaceutical compounds in natural springs provide clues for their hydrogeological transport dynamics	710
Preliminary evaluation of nitrate groundwater pollution and remediation in Shimabara Peninsula, Nagasaki, Japan	711
Progressive release of nitrate from agricultural vadose zone delays groundwater quality improvement response to remediation	712
Random forest modelling of global groundwater Arsenic	713
Rainfall influence on acid discharges from an anthropogenic mine aquifer generated by sulfide mining (SW Spain).....	714
Regional groundwater contamination related to exploration & production of natural gas – Pavillion gas field, Wind River Basin, Wyoming USA.....	715
Saline groundwater generation from paleo-termite mounds in the Buffels River valley, South Africa	716
Sensitivity analysis of correlation parameters of soil-water characteristic curves of biofilm-affected soils	717
Source identification of groundwater nitrate in an agro-livestock farming area, western part of Jeju Island, Korea: The combined use of multivariate statistical analysis and Bayesian mixing model to hydrochemical and nitrate dual isotopic data	718
Study of pollutants propagation in mining areas for groundwater safeguarding: the example of thallium contamination threatening some drinking springs in the Apuan Alps (Italy).....	719
Study on the variation rules of soil-water characteristic curves under different conditions combining characteristics of compared model fitting parameters	720
The environmental geochemistry behavior mechanism of Fe-Mn nodule in an oil contaminated site	721
The occurrence and distribution of antibiotics in Hutuohe Valley, North China	722
Traces of World War I in groundwater: perchlorate contamination of the chalk aquifer in NE France	723
Transport modelling of Chloridazon-metabolites in soil and groundwater	724
Understanding the bacterial community composition of drinking water quality in Sub-Saharan Africa	725
Uranium and arsenic in groundwater on Fogo Island, Newfoundland, Canada	726
Vegetation filters to attenuate contaminants of emerging concern and to recharge the underlying aquifer	727
Water quality characterisation and Health risk assessment of Maputland coastal plain, KwaZulu-Natal, South Africa.....	728
Water quality degradation and Nitrate source in the Massa catchment (Morocco), using ¹⁵ N and ¹⁸ O tracers.....	729
TOPIC 9. Groundwater and socio-economic development in Latin-America	730
A machine learning approach for imputation and spatial estimation of groundwater properties across the Middle Magdalena River Valley, Colombia	731
Adaptive groundwater governance strategy for the family farming sector in the High Andean Plateau (Puna Region) of Jujuy Province (Northwest of Argentina).....	732
Assessing hydrogeological system in piedmont fault zone by gravimetric and electrical surveys, Central Andes (32°50'S).....	733
Assessment of groundwater flow dynamics and water quality in the alluvial fan of Fuego and	

Acatenango volcanoes, Guatemala.....	734
Challenges in groundwater management in a costal semiarid basin in Ecuador	735
Characterization and modelling of Portoviejo aquifer (Ecuador) in different climate change and socio-economic scenarios.....	736
Diffuse recharge variations and megadrought in groundwater resources of Central-Southern Chile (Nilahue Aquifer, O'Higgins region).....	737
Drinking water resources investigation in Papaïchton Village (French Guiana).....	738
Facing the water scarcity in Chile: creation of the Early Career Hydrogeologist' Network (ECHN) Chile	739
GIS-based distributed water balance model for groundwater recharge in an environmental protection area, Brazil	740
Groundwater and socioeconomic development in Latin America	741
Groundwater as an opportunity of environmental and socio-economic sustainability: experiences of study in Latin-America countries from the AGUA FUTURA project.....	742
Groundwater potential of the Vichada asteroid impact structure, Colombia.....	744
Hydrogeological methodology for the assessment of natural mineral water projects feasibility into Paraná sedimentary basin.....	745
Huaura aquifer (Peru) response towards land use and climate change scenarios with special emphasis in Albufera de Medio Mundo.....	747
Hydraulic fracturing and Aquifer Management. A dialectical association in potential areas of exploitation of unconventional reservoirs in Colombia.....	748
Hydrochemical and isotopic characterization of the Tikuna Aquifer	749
Hydrogeochemical evidences of multi-layered groundwater circulation and anthropogenic pollution in Atacama Desert Hillslopes (Oasis de Pica, Northern Chile).....	750
Hydrogeological database focused for sustainable management of groundwater in San José de Chiquitos. Santa Cruz, Bolivia.....	751
Hyperthermalism in the Ollachea Tunnel (Puno, Peru)	752
Integrated water resources assessment in the dry corridor of El Progreso, Guatemala	753
Ibero-American Network for Shallow Geothermal Energy	754
Impact of the Great Santo Domingo (Dominican Republic) on the hydrogeochemistry of underlying aquifers.....	755
Informed tourism development in Haiti: understanding the Bwa Dom aquifer	756
Insight the Western Andean Front Hydrogeology using springs geochemistry: the case of Aconcagua Basin (Central Chile)	757
Integral water management, a challenge in the Pacific Slope of Guatemala, C.A.....	758
Integrated water resources management advances in Ica aquifer, Peru. Improvement actions based on Managed Aquifer Recharge technique	759
Interbasin water transfer with groundwater. The Lerma Wells System for the supply in the metropolitan area of Mexico City	760
New insights on groundwater recharge processes in the Andean piedmont of Northern Chile and impact on groundwater resources management	761
Origin and characteristics of groundwater in the Ozama Wetlands National Park basin, Dominican Republic.....	762
Preliminary quantification of surface water inputs to the Ozama Wetlands National Park (Dominican Republic)	763
Quantifying the potential seepage from the Quillayes porphyry Cu tailing dam using stable isotopes	

(Chile).....	764
Remote sensing for subsidence analysis due to groundwater use in the Bogota plain, Colombia.....	765
Technical considerations about induced seismicity derived from waters reinjection in deep aquifers	766
The origin of groundwater and its chemical composition in the Azua plain, Dominican Republic.....	767
The Transboundary Tikuna Aquifer – A subunit of the Amazonian Aquifer System	768
US Geological Survey groundwater studies in Latin America.....	769
Water culture and the dialogue of knowledge: supports for hydrogeological knowledge and the management of groundwaters	770
TOPIC 10. Urban groundwater	771
A depth-discrete sentry well network for monitoring water quality impacts to a municipal supply aquifer	772
Articulating NUA and Strategic (health-Environmental) Assessment (SEA) in Mexico to improve groundwater management, communicate risks of severe GW lowering, and bettering governance	773
Atmospheric nitrogen originated in a highly human impacted area: from deposition to infiltration and drainage in the vadose zone	774
Delineating groundwater potential zones in fractured hardrock systems: Viana Do Castelo urban area (NW Portugal)	775
DISCO Index to define groundwater protection zones in urban areas: a preliminary approach in NW Portugal	776
Detection and assessment of pharmaceutical drug residues in drinking water	777
Determination of the source of salt contamination using a combination of novel stable isotopic parameters (37Cl, 81Br, 18O and 2H) and tritium to assess the impact on regional groundwater supplies in southern Ontario, Canada	778
Evaluation of groundwater environment changes due to urbanization in the Tokyo metropolitan area, Japan: Application of subsurface temperature observation integrated of long-term monitoring and repeated measurement of temperature-depth profiles	779
Finding geothermal resources under an urban area (Barcelona)	780
Geothermal use of old flooded mines: from a risky trial-and-error approach towards challenging predictive simulations	781
Groundwater impacts of underground infrastructure in London.....	782
Groundwater resilience in urban water cycles: Experiences from the South.....	783
Hydrochemistry assessment of urban groundwaters of Belem, Brazil	784
Hidden figures: What the JMP data do not tell us about groundwater use in urban Sub-Saharan Africa.....	785
Hydrogeological setting of a Rome city sector: shallow groundwater in the right bank of Tiber River inside the G.R.A highway.....	786
Induced land subsidence due to groundwater withdrawal compared to rising sea-levels in sinking cities.....	787
Informal and formal groundwater use in peri-urban areas of Jaipur, India, and implications for its management.....	788
Inspecting methods for conduits tracing and leak detection of water in utility reticulation pipes: case studies in Hungary	789
Knowledge exchange on Climate Adaptation with Nature-based solutions and Best Management Practices for Sustainable (ground)water management in Resilient Cities	790

Managing the response to clean air and Carbon reduction targets from open loop ground source heat pump systems on urban groundwater resources; two case studies	791
Nation-scale evaluation of required lengths for borehole heat exchangers considering advection effects of groundwater flow in Japan	792
New city planning policy processes – creating a prescient awareness of groundwater for future places and people.....	793
Nullspace Monte Carlo particle tracking to identify source areas of groundwater pollution in the N-W Milano FUA (AMIIGA ProjectCE No 32)	794
Smart management of unconfined aquifers in urban areas.....	795
Study of a coastal aquifer under the oceanic influence: case of Nouakchott (Mauritania)	796
The Urban Water Cycle SuDS as a measure for preservation and prevention; example from Bergen, Norway	797
Thermal Impact and Performance of High-Temperature ATES (HTATES) systems: a strong dependence on hydrogeological and storage conditions.....	798
To what extent does community management ensure good functionality of groundwater supplies in rural Africa?	799

Parallel / 663

Validation of vulnerability assessment by means of the Time Dependent Model: case study from the Slovenian karst catchment

Author(s): Vladimir Živanović¹

Co-author(s): Nataša Ravbar²; Igor Jemcov¹

¹ Faculty of Mining and Geology, University of Belgrade

² ZRC SAZU Karst Research Institute

Corresponding Author(s): vladimir.zivanovic@rgf.bg.ac.rs,igor.jemcov@rgf.bg.ac.rs,natasa.ravbar@zrc-sazu.si

Groundwater vulnerability assessment methods are continuously being developed and existing methods are very often modified to provide better simulation of natural protection conditions and more objective results. Most frequently used methods are based on calculation of predefined parameters influencing water infiltration and underground flow, which can often lead to bias conclusions related to vulnerability evaluations. Some other methods, like the Time Dependent Model (TDM) are based on an approach, where parametrization is obtained at the final stage of the assessment. The main specifics are focused on the calculations of different flow travel time components, e.g., surface and groundwater flow (vertical flow path through the unsaturated zone, as well as horizontal flow path through the saturated zone). Moreover, the qualitatively different approach of vulnerability assessment enables direct translation of the results into sanitary protection zones according to the particular state legislation requirements. The TDM has been developed and successfully applied at several locations in the Serbian part of the Carpato-Balcanides. This paper presents its first application to the Slovenian part of the Dinaric karst and comparison to the most frequently applied methods of intrinsic vulnerability mapping in karst aquifers. An attempt to use the TDM as a groundwater assessment validation has also been made. The catchment of the Podstenjšek springs located at the Upper Pivka Valley in Southwestern Slovenia has been selected as a test site. In the past, four different methods of vulnerability mapping have already been applied (EPIK, PI, Slovene Approach, Simplified Method) to this test site using the same database and validated by means of tracer tests. The test site is characterized by temporal hydrologic variability, expressed by surface-groundwater interactions and variable drainage divides. The application of the TDM showed an alternative possibility to consider hydrologic variability in assessing groundwater vulnerability. In the case study it allowed clearer allocation of zones that are particularly vulnerable in various hydrologic conditions. The resulting groundwater vulnerability map shows the degrees of vulnerability, which are in direct function of surface and groundwater travel times and can thus be directly translated into protection zones according to Slovene legislation criterion. The results of the TDM assessment and comparison analysis can also be used as a tool for validation of vulnerability indices defined by other assessment methods.