Измењено: 2025-01-11 16:37:42

An alternative to Mahler Measure of polynomials

Dragan Stankov



Дигитални репозиторијум Рударско-геолошког факултета Универзитета у Београду

[ДР РГФ]

An alternative to Mahler Measure of polynomials | Dragan Stankov | The book of abstracts XV serbian mathematical congress, Belgrade, Serbia, june, 19–22, 2024 | 2024 | |

http://dr.rgf.bg.ac.rs/s/repo/item/0009337

An alternative to Mahler Measure of polynomials

Dragan Stankov

 $University\ of\ Belgrade\ Faculty\ of\ Mining\ and\ Geology,\ Djusina\ 7,\ 11120\ Belgrade\\ e-mail:\ dstankov@rgf.bg.ac.rs$

Abstract. We introduce the ratio of the number of roots of a polynomial P_d , greater than one in modulus, to its degree d as an alternative to Mahler measure. We investigate some properties of the limit ratio. We generalise this definition for a two variable polynomial P(x,y) using the Cauchy's argument principle. We present an algorithm for calculating the limit ratio and a numerical method for its approximation. We estimated the limit ratio for some families of polynomials. Some examples of polynomials in two variables suggest a theorem for the limit ratio which is analogous to the Boyd-Lawton limit formula for Mahler measure.

Keywords: Mahler measure; argument principle; limit ratio.

References

- D. W. Boyd, M. J. Mossinghoff. Small limit points of Mahler's measure. Experiment. Math. 14 (2005), No. 4, 403–414
- [2] J. McKee, C. Smyth. Around the Unit Circle. Springer International Publishing, London, (2021).
- [3] **D. Stankov.** The number of unimodular roots of some reciprocal polynomials. Comptes Rendus. Mathématique, Volume 358 (2020) no. 2, pp. 159-168.